




PROS



**WATERPROOF CLOTHING CATALOG
FOR THE CONSTRUCTION INDUSTRY 2026**

Waterproof
standard
clothing





Jacket model 101/S

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- fastening with metal press studs
- increased durability of seams
- hood with drawstrings
- two front pockets covered with patches
- cuffs in the sleeves



Insulated jacket model 103 OCS

Material: PVC/Polyester, Polyester/PU

PlaviteX

TERMOIZOL

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zip fastening with pleat
- hood with insulation and the possibility of adjustment
- collar lined with soft fleece
- termoisol insulation on the inside
- two side pockets



Jacket model 300

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- jacket with a zip and placket
- increased durability of seams
- detachable hood
- underarm vents
- adjustable elasticated cuffs
- drainage gutter



Jacket model 103

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- jacket with a zip and placket
- increased durability of seams
- hood with drawstring
- collar with fleece
- adjustable elasticated cuffs



**Jacket model 616****Material:** PVC/Polyester**Plavite^x****Weight:** 350 g/m²**Size:** 48-62**Colour:****Norms:**

- EN ISO 13688
- EN 343

Specific features:

- jacket with a zip and placket
- increased durability of seams
- cuffs on sleeves
- hood with drawstrings
- front pockets with patches

**Coat model 106****Material:** PVC/Polyester**Plavite^x****Weight:** 350 g/m²**Size:** 48-62**Colour:****Norms:**

- EN ISO 13688
- EN 343

Specific features:

- coat fastened with press studs
- protects the user's legs from water
- increased durability of seams
- hood with drawstrings
- front pockets with patches

**Clothing set model 101/001****Material:** PVC/Polyester**Plavite^x****Weight:** 350 g/m²**Size:** 48-62**Colour:****Norms:**

- EN ISO 13688
- EN 343

Specific features:

- set of ¾ jacket + bibpant
- adjustable braces
- hood with drawstrings
- wind vest in sleeves
- increased durability of seams

**Clothing set model 101/112****Material:** PVC/Polyester**Plavite^x****Weight:** 350 g/m²**Size:** 48-62**Colour:****Norms:**

- EN ISO 13688
- EN 343

Specific features:

- set of ¾ jacket + waist trousers
- hood with drawstrings
- wind vest in sleeves
- increased stitching strength





Bibpants model 001

Material: PVC/Polyester
PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- adjustable braces
- wide elastic band on the back
- increased durability of seams
- high front
- comfortable fastening



Insulated bibpants model 001 OCS

Material: PVC/Polyester, Polyester/PU
PlaviteX

TERMOIZOL

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- waterproof and thermal properties
- durable outer material
- termoizol insulation on the inside
- raised front
- comfortable suspenders with adjustment



Bibpants model 001 MAX

Material: PVC/Polyester
PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- adjustable braces
- additional reinforcement on the knees
- wide elastic band on back
- increased durability of seams
- high front



Waist trousers model 112

Material: PVC/Polyester
PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- basic model
- leg girth adjustment
- comfortable press studs
- drawstring waist with elastic
- increased durability of seams





Overall model 104

Material: PVC/Polyester
Plavite*x*
Weight: 350 g/m²
Size: 48-62
Colour:
■ ■ ■ ■ ■ ■ ■ ■ ■ ■

- Norms:**
- EN ISO 13688
 - EN 343
- Specific features:**
- one-piece suit
 - zip with double placket
 - adjustable drawstring hood
 - windbreakers in the sleeves and legs
 - increased durability of seams



Overall model 104R

Material: PVC/Polyester
Plavite*x*
Weight: 350 g/m²
Size: 48-62
Colour:
■ ■ ■ ■ ■ ■ ■ ■ ■ ■

- Norms:**
- EN ISO 13688
 - EN 343
- Specific features:**
- one-piece suit
 - zip with double placket
 - reflective tapes
 - windbreakers in the sleeves and legs
 - increased durability of seams



Overall with boots model 104/K

Material: PVC/Polyester
Plavite*x*
heavy duty
Weight: 700 g/m²
Size: 48-62
Colour:
■ ■

- Norms:**
- EN ISO 13688
 - EN 343
- Specific features:**
- boots 'combined to the overall
 - zip fastening with a placket
 - increased seam strength
 - windbreakers in the sleeves
 - adjustable hood



Oil resistant apron model 110

Material: PVC/Polyester
Plavite*x*
heavy duty
Weight: 700 g/m²
Size: 120/120
Colour:
■

- Norms:**
- EN ISO 13688
 - EN 343
- Specific features:**
- thicker material
 - increased durability
 - comfortable neck strap
 - resistance to low temperatures



Thigh waders
and chest waders





**Chest waders
STANDARD SB01**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces made of rubber
- basic model



**Chest waders PREMIUM with
reinforcements SBP01**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces
- elastic band for easier fitting



**Chest waders
SBH01 FLUO**

Material: PVC/Polyester
Plavite
hd fluo

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SRC
- EN 361

Specific features:

- made of fluo material
- safety harness
- toe cap to protect the toes
- anti-puncture insert
- additional reflective tapes



**Fishing trousers STANDARD
model SP03**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- increased durability of seams
- elastic waistband for a better fit
- belt loops
- regulation of circumference with press studs
- can be used with leg warmers





**Chest waders MAX FLUO
with safety boots S5 SBM01**

Material: PVC/Polyester
Plavite
hd fluo

Weight: 700 g/m²

Size: 39-48

Fluo colours:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe protector
- fluorescent color for visibility



**Chest waders STRONG
RED SB01**

[STRONG]

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-47

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- resistance against salt water
- increased durability of seams
- inner pocket
- circumference can be adjusted
- comfortable braces



**Chest waders MAX FLUO
with safety boots S5 SBM01**

Material: PVC/Polyester
Plavite
hd fluo

Weight: 700 g/m²

Size: 39-48

Fluo colours:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe protector
- fluorescent color for visibility



**Chest waders STRONG
BLACK SB01**

[STRONG]

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-47

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- salt water resistance
- increased durability of seams
- inner pocket
- circumference can be adjusted
- comfortable braces





**Thigh waders
STANDARD WR02**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- basic model
- effective protection of legs against water
- increased durability of seams
- rubber supports
- can be used with leg warmers



**Thigh waders PREMIUM with
reinforcements WRP02**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- permanently welded boots
- increased durability of seams
- reinforcements on knees
- fixing tapes
- resistance to bending in low temperatures



**Thigh waders MAX with safe-
ty boots S5 WRM02B**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- reinforced knees
- support fastenings
- insole preventing puncture of the sole
- resistance to bending in low temperatures



**Thigh waders
antistatic WRA02**

Material: PVC/Polyester
Plavitex
hd antistatic

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN 1149-5
- EN ISO 20347 - FO O4 SR

Specific features:

- antistatic properties
- increased durability of seams
- elastic fixing tapes
- high quality wellingtons
- resistance to bending in low temperatures





**Thigh waders MAX FLUO
with safety boots
S5 WRM02**

Material: PVC/Polyester
Plavite^{hd fluo}

Weight: 700 g/m²

Size: 39-48

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN 343 EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe protector
- fluorescent colour for visibility



**Thigh waders STRONG
RED WR02
]STRONG[**

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- resistance against salt water
- high quality material
- effective protection of legs against water
- increased durability of seams
- rubber support fastenings



**Thigh waders MAX FLUO
with safety boots
S5 WRM02**

Material: PVC/Polyester
Plavite^{hd fluo}

Weight: 700 g/m²

Size: 39-48

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN 343 EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- reinforcements on knees
- support fastenings
- insole preventing puncture of the sole
- fluorescent colour for visibility

**Thigh waders STRONG
BLACK WR02
]STRONG[**

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- anti-slip boots
- high quality material
- effective protection of legs against water
- increased durability of seams
- rubber support fastenings





**Waterproof protective legs
model 507**

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: universal

Colour:



Norms:

- EN ISO 13688

Specific features:

- protects against moisture and dirt
- increased durability of seams
- resistance to bending in low temperatures
- fixing to belt



**Waterproof protective legs
model 508**

Material: PVC/Polyester

PlaviteX

Weight: 700 g/m²

Size: universal

Colour:



Norms:

- EN ISO 13688

Specific features:

- increased durability of seams
- reinforced knees
- protects against moisture and dirt
- elastic fixing to belt
- resistance to bending in low temperatures






Leg warmers
Various Length Models:
KL09/S FILC
KL09/L FILC
KL09/WR

Material: Felt
Weight: 300 g/m²
Size: 36-50
Colors: ■

Specific features:
- premium-quality felt for durability and comfort
- protection against moisture and cold
- washable and easy to clean
- height:
model KL09/S – 28 cm
model KL09/L – 40 cm
model KL09/WR – designed for PROS waders



Warm trousers
model KL09/SB

Material: Quilted insulation, double-sided
Weight: 120 g/m²
Size: 39-48
Colors: ■

Specific features:
- supplement to PROS waders
- protects against cold
- made of two types of materials
- premium-quality felt socks for added warmth
- adjustable, comfortable suspenders



Thermal warm trousers
KL09/SB

Material: Quilted insulation double-sided with thermal membrane **TERMOIZOL**
Weight: 120 g/m²
Size: 39-48
Colors: ■

Specific features:
- supplement to PROS waders
- protects against cold
- made from thermally efficient fabric - Termoisol
- premium-quality felt socks for added warmth
- adjustable, comfortable suspenders



Waterproof
warning clothing





**Warning jacket
model 1101**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- fastening with press studs
- reflective horizontal bands
- visibility class 2
- increased durability of seams
- pockets covered with patches



**Warning jacket
model 1101R**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- press stud fastening
- reflective tapes
- visibility class 3
- increased durability of seams
- pockets covered with patches



**Warning jacket
model 400R**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- two-colour design
- reflective tapes
- visibility class 2
- increased durability of seams
- drainage gutter





**Warning bibpants
model 1011**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 1
- adjustable braces
- wide elastic band on the back



**Warning bibpants
model 891R**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 1
- adjustable braces
- two-colour design



**Warning bibpants
model 1011R**

Material: PVC/Polyester
PlaviteX
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 2
- adjustable braces
- wide elastic band on the back





**Warning waist pants
model 1012**

Material: PVC/Polyester
Plavite^x
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:
■ ■

- Norms:**
- EN ISO 13688
 - EN ISO 343
 - EEN ISO 20471

- Specific features:**
- reflective tapes
 - increased durability of seams
 - visibility class 1
 - adjustable leg width
 - elastic waistband





**Warning coat
model 1102**

Material: PVC/Polyester
Plavite^x
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:
■ ■

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 3
- fastening with press studs
- front pockets with patches



Warning coat model 106R

Material: PVC/Polyester
Plavite^x
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:
■ ■

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 3
- fastening with press studs
- front pockets with patches



**Warning clothing
model 1101/1011**

Material: PVC/Polyester
Plavite^x
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:
■ ■

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 3
- adjustable braces
- hood with drawstring



**Warning clothing
model 1101R/1011R**

Material: PVC/Polyester
Plavite^x
fluo

Weight: 350 g/m²

Size: 48-62

Fluo colour:
■ ■

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- increased durability of seams
- visibility class 3
- adjustable braces
- hood with drawstring



Multi-norms
clothing





Waist jacket model 282

aQuapros

Material: PU, carbon fiber, PES, modacrylic, cotton

aQuaAir

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance: up to 25 Ret

Size: 48-62

Fuo colour:

Norms:

- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable hood with a stand-up collar
- inner pocket and spacious side pockets
- collar lined with fleece on the inside
- waist drawcord for better fit adjustment
- high-visibility color scheme



Jacket model 283

aQuapros

Material: PU, carbon fiber, PES, modacrylic, cotton

aQuaAir

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance: up to 25 Ret

Size: 48-62

Fuo colour:

Norms:

- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable hood with a stand-up collar
- internal pocket
- spacious side pockets
- collar lined with fleece on the inside
- high-visibility color scheme



Waist jacket model 2821

aQuapros

Material: PU, carbon fiber, PES, modacrylic, cotton

aQuaAir

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance: up to 25 Ret

Size: 48-62

Fuo colour:

Norms:

- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable hood with a stand-up collar
- internal pocket
- spacious side pockets
- waist drawcord for improved fit
- collar lined with fleece on the inside



Jacket model 2831

aQuapros

Material: PU, carbon fiber, PES, modacrylic, cotton

aQuaAir

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance: up to 25 Ret

Size: 48-62

Fuo colour:

Norms:

- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable hood with a stand-up collar
- internal pocket
- spacious side pockets
- high-visibility color scheme
- collar lined with fleece on the inside





Bibpant model 284

aQuapros | 
Material: PU, carbon fiber, PES,
modacrylic, cotton

aQuaAir
MULTI

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance:
up to 25 Ret

Size: 48-62

Fuo colour: 

Norms:

- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable suspenders
- elastic waistband
- three spacious pockets
- zippered ankle cuffs
- high-visibility color scheme



Bibpant model 2841

aQuapros | 
Material: PU, carbon fiber, PES,
modacrylic, cotton

aQuaAir
MULTI

Weight: 300 g/m²

Waterproof: 20000 Pa

Breathability / vapor resistance:
up to 25 Ret

Size: 48-62

Fuo colour:  

Norms:


- EN ISO 13688
- EN 61482-2
- EN ISO 11611
- EN ISO 11612
- EN 13034
- EN ISO 14116
- EN ISO 20471
- EN 1149-5
- EN 343

Specific features:

- adjustable suspenders
- elastic waistband
- three spacious pockets
- zippered ankle cuffs
- high-visibility color scheme



Breathable
clothing





**Breathable jacket
model 285**

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- splash-proof zipper closure
- cuffs in the sleeves
- puller of the lower part
- high-waisted hood with face adjustment



**Winter breathable jacket
model 1031 OC**

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zipper closure covered with a pleat with press studs
- ribbed cuffs and back
- numerous pockets
- stand-up collar around the neck finished with fleece
- vapor-permeable upper material
- jacket insulated with polyester material



**Breathable bibpants
model 298**

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- 2 combat pockets on the sides of the legs
- large breast pocket
- bottoms of legs fastened with splash-proof zippers
- adjustable straps



**Breathable trousers
model 288**

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- waist trousers
- vapor-permeable material
- 2 combat pockets on the sides of the legs
- bottoms of legs fastened with splash-proof zippers
- elastic waistband



**Insulated overalls
model 104/1 OC**

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- made of breathable material
- special polyester insulation
- zipper closure covered with a double pleat
- windbreaks in sleeves
- adjustable hood



Overalls model 104/1

aQuapros | 

Material:

aQuaAir
REGULAR

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- made of breathable material
- zipper closure covered with a double pleat
- drawstring at the back
- windbreaks in sleeves
- adjustable hood



aQuapros





Jacket model 4083

aQuapros | 

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zip fastening with a placket
- increased durability of seams
- underarm ventilation
- sleeve regulation
- two front pockets with patches



Jacket model 4085

aQuapros | 

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- fastening with metal press studs
- increased durability of seams
- adjustable hood
- underarm ventilation
- two front pockets with patches



Bibpants model 4087

aQuapros | 

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- adjustable braces
- wide elastic band on the back
- increased durability of seams
- leg adjustment
- pocket openings concealed by a flap



Waist trousers model 4086

aQuapros | 

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- rubber in the waist for regulation
- increased durability of seams
- leg adjustment
- pocket openings concealed by a flap





**Warning jacket
model 4185**



Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- visibility class 3
- increased durability of seams
- sleeve regulation
- hood can be adjusted with drawstring



Warning coat model 4188



Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- reflective tapes
- visibility class 3
- increased durability of seams
- sleeve fastening and adjustment with press studs
- underarm ventilation holes



**Warning bibpants
model 4187**



Material: PVC/Polyester



Weight: 180 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 1
- increased durability of seams
- reflective tapes
- leg circumference regulation
- pocket inlets with flap



Warning pants model 4186



Material: PVC/Polyester



Weight: 180 g/m²

Size: 48-62

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 1
- reflective tapes
- increased durability of seams
- rubber cuff at waist
- leg circumference adjustment





**Warning overall
model 4184**

aQuapros | 

Material: Polyurethane/Polyamide

Weight: 180 g/m²

Size: 48-62

Fluo colour:
 

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 3
- increased durability of seams
- reflective tapes
- leg and sleeve regulation
- zipper with placket





Warning jacket model 4283

aQuapros |

Material: Polyurethane/Polyamide

Weight: 180 g/m²

Size: 48-62

Fluo colour:

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 3
- increased durability of seams
- reflective tapes
- comfortable zipper with placket
- underarm ventilation holes



Warning jacket model 4285

aQuapros |

Material: Polyurethane/Polyamide

Weight: 180 g/m²

Size: 48-62

Fluo colour:

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 3
- reflective tapes
- increased durability of seams
- ventilation holes under armpits
- sleeve regulation



Warning overall model 4287

aQuapros |

Material: Polyurethane/Polyamide

Weight: 180 g/m²

Size: 48-62

Fluo colour:

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- increased durability of seams
- reflective tapes
- visibility class 1
- leg circumference regulation
- pocket inlets with flap



Warning pants model 4286

aQuapros |

Material: Polyurethane/Polyamide

Weight: 180 g/m²

Size: 48-62

Fluo colour:

Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- visibility class 1
- reflective tapes
- increased durability of seams
- rubber cuff at waist
- leg circumference adjustment





**Warning overall
model 4284**

aQuapros | 

Material: Polyurethane/Polyamide

 **aquaproof**
basic

 **aquaproof**
vision

Weight: 180 g/m²

Size: 48-62

Fluo colour:


Norms:

- EN ISO 13688
- EN 343
- EN ISO 20471

Specific features:

- increased durability of seams
- reflective tapes
- visibility class 3
- leg and sleeve regulation
- zipper with placket




Informations
and charts



Clothing size chart

symbol	XS	S	M	L	XL	XXL	XXXL	XXXXL
size	48	50	52	54	56	58	60	62
height [cm]	158	164	170	176	182	188	194	200
chest [cm]	96-100	100-104	104-108	108-112	112-116	116-120	120-124	124-128
waist [cm]	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118




Chest waders size chart

size	39	40	41	42	43	44	45	46	47	48	variation
A [cm]	60	60	60	63	63	66	66	66	66	66	±1 cm
B [cm]	137	137	137	143	143	146	146	146	146	146	±1 cm
C [cm]	92	92	92	96	96	100	100	100	100	100	±1 cm
F [cm]	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	±1 cm
H [cm]	24,9	25,7	26,7	27,3	28,3	29,1	30,2	30,9	31,6	32,5	±0,5 cm

Thigh waders size chart

size	39	40	41	42	43	44	45	46	47	48	variation
A [cm]	86	86	86	86	88	88	88	90	90	90	±1 cm
B [cm]	90	90	90	90	92	92	92	94	94	94	±1 cm
C [cm]	74	74	74	74	76	76	76	78	78	78	±1 cm

Materials type charts

	Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties that guarantee resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 14605, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with cotton backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating has antistatic and flame-retardant properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), EN 1149-5, EN ISO 20471 and EN ISO 14116, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has antistatic properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 1149-5, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with cotton backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 13034, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with a polyester backing made from recycled yarn, coated on one side with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, maintaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute.
	Material on polyamide backing, coated on one side with polyurethane. It is characterized by resistance to tearing, adverse weather conditions and bending at temperatures down to -50°C.
	A new concept of PVC-coated material. It is characterized by tear resistance and waterproofness. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute. No maintenance is required.
	Polyurethane film is characterized by high resistance to mechanical damage and high and low temperatures. The chemical composition of the material guarantees proper protection against the action of fats, detergents, weak acids, bases and organic liquids.
	Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.

	Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by high resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material on polyamide backing, coated on one side with polyurethane. It is a low-weight, high-strength material to provide proper protection and comfort during heavy work. It is characterized by high elasticity, tear resistance and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Superbly protects not only against water and wind. Thanks to the use of fluorescent pigments, it makes the wearer more visible and safe in conditions of reduced visibility at night. The material meets the requirements of EN ISO 13688, EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by accredited textile testing institutes.
	A material designed for the production of garments for the food industry. A properly selected blend of coating components guarantees resistance to the penetration of fats, enzymes, digestive juices and the action of acid and alkali solutions. The material meets the requirements of EN 1186, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with a polyamide backing, coated on one side with polyurethane. This is a lightweight material with high strength properties, ensuring proper protection and comfort during demanding work. It is characterized by high flexibility, tear resistance, and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute.
	aQuaAir is a series of modern laminated breathable fabrics with the highest waterproofing and breathability parameters. These materials are used to produce a wide range of protective clothing and outdoor clothing used during work and outdoor activities. They meet the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa and high breathability), which was confirmed in tests conducted by an accredited textile testing institute.
	aQuaAir REGULAR is a 2-layer fabric with lining and a waterproof breathable membrane. It meets the requirements of EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	aQuaAir EASY SEE is a 2-layer fabric with lining, a waterproof breathable membrane, and an outer fabric with fluorescent properties for high-visibility clothing. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	aQuaAir MULTI is a 3-layer fabric with lining, a waterproof breathable membrane, and a multifunctional outer fabric. The fluorescent-colored material is resistant to fire, convective heat, and other hazards encountered during welding, chemical work, and explosive environments. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – good class 3 water vapor resistance 17,35 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	XT4L is a modern and technologically advanced material with a high class of waterproofness (30000 mm H2O = class 4 according to the EN 343 standard) and vapor permeability (6500g/m2/24h = class 4 breathability according to EN 343). The material consists of 4 layers (fabric - 100% polyester, hydrophobic microporous coating - 100% polyurethane, non-porous hydrophilic membrane - 100% polyurethane, mesh knit/combined lining - 100% polyamide), which provide excellent protection against water while removing moisture and excess heat.
	termoizol material has a special thermal coating with the ability to reflect and retain heat generated by the body. Thanks to the technology used, thermal insulation has been increased, which affects the comfort of use at low ambient temperatures. The innovative solution is based on a special metalized layer of flexible polyurethane coating with an admixture of silver, combined with a mesh polyester lining. This composition acts as a barrier that effectively reflects the heat energy generated by the body and allows it to be retained inside the clothing.

AJ Group Sp. z o.o.
ul. Bursztynowa 96, Modła Królewska, 62-571 Stare Miasto
tel./fax: +48 63 242-70-84, tel. +48 63 242-71-01
e-mail: as@ajgroup.pl, el@ajgroup.pl, eli@ajgroup.pl, ir@ajgroup.pl, tr@ajgroup.pl
www.**PROS**.pl

