







PROS



**WATERPROOF CLOTHING CATALOG
FOR FISHERMEN 2026**

Thigh waders
and chest waders





**Chest waders
STANDARD SB01**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces made of rubber
- basic model



**Chest waders PREMIUM with
reinforcements SBP01**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces
- elastic band for easier fitting



**Chest waders MAX with safe-
ty boots S5 SBM01B**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe cap to protect toes
- possibility of adjusting the circumference



**Chest waders
antistatic SBA01**

Material: PVC/Polyester
Plavitex
hd antistatic

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN 1149-5
- EN ISO 20347 - FO O4 SR

Specific features:

- antistatic properties
- increased durability of seams
- comfortable inner pocket
- wellingtons permanently welded
- comfortable braces





Chest waders PREMIUM SBPP01

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Fluo colours:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- increased strength of seams
- reinforcements on the knees
- additional outer pocket
- regulation of the circumference with a welt
- flexible, adjustable suspenders





**Chest waders MAX FLUO
with safety boots S5 SBM01**

Material: PVC/Polyester
Plavite^{hd fluo}

Weight: 700 g/m²

Size: 39-48

Fluo colours:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe protector
- fluorescent color for visibility



**Chest waders MAX FLUO
with safety boots S5 SBM01**

Material: PVC/Polyester
Plavite^{hd fluo}

Weight: 700 g/m²

Size: 39-48

Fluo colours:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- comfortable inner pocket
- insole protecting the sole
- toe protector
- fluorescent color for visibility



**Chest waders STRONG
RED SB01**

[STRONG]

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-47

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- resistance against salt water
- increased durability of seams
- inner pocket
- circumference can be adjusted
- comfortable braces



**Chest waders STRONG
BLACK SB01**

[STRONG]

Material: PVC/PU/Polyester –
Rubber New Generation



Weight: 1000 g/m²

Size: 39-47

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- salt water resistance
- increased durability of seams
- inner pocket
- circumference can be adjusted
- comfortable braces





**SB04 AIR
breathable waders**

Material:
PES/PU/PA
XT4L®

Weight: 220 g/m²

Size: 39-48

Colour:
■

- Norms:**
- EN ISO 13688
 - EN 343
 - EN ISO 20347 - OB E SRA

- Specific features:**
- waterproof and breathable material
 - two internal and external pockets
 - additional handles for attaching accessories
 - special packaging
 - made in Poland

Breathability – 6500 g/m²/24h
(Class 4 breathability according to EN 343)

Waterproofness – 30000 mm H₂O
(Class 4 waterproofness according to EN 343)



**SB04 AIR
breathable waders**

Material:
PES/PU/PA
XT4L®

Weight: 220 g/m²

Size: 39-48

Colour:
■

- Norms:**
- EN ISO 13688
 - EN 343
 - EN ISO 20347 - OB E SRA

- Specific features:**
- product made of waterproof and breathable XT4L material
 - practical D-ring for attaching accessories
 - a model specially created for women
 - convenient inner and outer pockets
 - special packaging included for storage and transport

Breathability – 6500 g/m²/24h
(Class 4 breathability according to EN 343)

Waterproofness – 30000 mm H₂O
(Class 4 waterproofness according to EN 343)



**SB04 NEO
breathable waders**

Material:
PES/PU/PA
XT4L®

Weight: 220 g/m²

Size: 39-48

Colour:
■

- Norms:**
- EN ISO 13688
 - EN 343

- Specific features:**
- Breathable XT4L® material
 - Recommended for wading in icy water
 - Neoprene sock covered with a collar that encloses the boot
 - Special hooks for securing the boot
 - Convenient pockets and accessory loops

Breathability – 6500 g/m²/24h
(Class 4 breathability according to EN 343)

Waterproofness – 30000 mm H₂O
(Class 4 waterproofness according to EN 343)



**SB04 AIR CARP
breathable waders**

Material:
PES/PU/PA
XT4L®

Weight: 220 g/m²

Size: 39-48

Colour:
■

- Norms:**
- EN ISO 13688
 - EN 343
 - EN ISO 20347 - OB E SRA

- Specific features:**
- a variety for carp anglers
 - breathable material
 - wellington boots welded to the pants
 - anti-slip sole of galoshes
 - drawstring on chest

Breathability – 6500 g/m²/24h
(Class 4 breathability according to EN 343)

Waterproofness – 30000 mm H₂O
(Class 4 waterproofness according to EN 343)





**Wading jacket
model 444 AIR**

Material:
PES/PU/PA
XT4L®

Weight: 220 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zipper closure covered with a pleat
- dwie boczne kieszenie przykryte patkami
- product made of waterproof and breathable XT4L material
- practical D-ring for attaching accessories
- large hood with adjustable circumference

Breathability – 6500 g/m²/24h
(Class 4 breathability according to EN 343)

Waterproofness – 30000 mm H₂O
(Class 4 waterproofness according to EN 343)

**Fishing trousers
STANDARD
model SP03**

Material: PVC/Polyester
Plavite^x
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- increased durability of seams
- elastic waistband for a better fit
- belt loops
- regulation of circumference with press studs
- can be used with leg warmers



**Chest waders
SBH01 FLUO**

Material: PVC/Polyester
Plavite^x
hd fluo

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SRC
- EN 361

Specific features:

- made of fluo material
- safety harness
- toe cap to protect the toes
- anti-puncture insert
- additional reflective tapes





**Thigh waders
STANDARD WR02**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

Specific features:

- basic model
- effective protection of legs against water
- increased durability of seams
- rubber supports
- can be used with leg warmers



**Thigh waders PREMIUM with
reinforcements WRP02**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- permanently welded boots
- increased durability of seams
- reinforcements on knees
- fixing tapes
- resistance to bending in low temperatures



**Thigh waders MAX with safe-
ty boots S5 WRM02B**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20345 - S5 SR

Specific features:

- increased durability of seams
- reinforced knees
- support fastenings
- insole preventing puncture of the sole
- resistance to bending in low temperatures



**Thigh waders
antistatic WRA02**

Material: PVC/Polyester
Plavitex
hd antistatic

Weight: 700 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN 1149-5
- EN ISO 20347 - FO O4 SR

Specific features:

- antistatic properties
- increased durability of seams
- elastic fixing tapes
- high quality wellingtons
- resistance to bending in low temperatures





Thigh waders MAX FLUO with safety boots S5 WRM02

Material: PVC/Polyester
Plavite
hd fluo

Weight: 700 g/m²

Size: 39-48

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN 343 EN ISO 20345 - S5 SR

Specific features:

- toe protector
- reinforcements on knees
- support fastenings
- insole preventing puncture of the sole
- fluo material for better visibility



Thigh waders STRONG RED WR02

[STRONG]

Material: PVC/PU/Polyester – Rubber New Generation



Weight: 1000 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- resistance against salt water
- high quality material
- effective protection of legs against water
- increased durability of seams
- rubber support fastenings



Thigh waders MAX FLUO with safety boots S5 WRM02

Material: PVC/Polyester
Plavite
hd fluo

Weight: 700 g/m²

Size: 39-48

Fluo colour:



Norms:

- EN ISO 13688
- EN 343
- EN 343 EN ISO 20345 - S5 SR

Specific features:

- toe protector
- reinforcements on knees
- support fastenings
- insole preventing puncture of the sole
- fluo material for better visibility

Thigh waders STRONG BLACK WR02

[STRONG]

Material: PVC/PU/Polyester – Rubber New Generation



Weight: 1000 g/m²

Size: 39-48

Colour:



Norms:

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

Specific features:

- anti-slip boots
- high quality material
- effective protection of legs against water
- increased durability of seams
- rubber support fastenings





Leg warmers
Various Length Models:
KL09/S FILC
KL09/L FILC
KL09/WR

Material: Felt
Weight: 300 g/m²
Size: 36-50
Colors: ■

Specific features:
- premium-quality felt for durability and comfort
- protection against moisture and cold
- washable and easy to clean
- height:
 model KL09/S – 28 cm
 model KL09/L – 40 cm
 model KL09/WR – designed for PROS waders



Warm trousers
model KL09/SB

Material: Quilted insulation, double-sided
Weight: 120 g/m²
Size: 39-48
Colors: ■

Specific features:
- supplement to PROS waders
- protects against cold
- made of two types of materials
- premium-quality felt socks for added warmth
- adjustable, comfortable suspenders



Thermal warm trousers
KL09/TI

Material: Quilted insulation double-sided with thermal membrane
TERMOIZOL
Weight: 120 g/m²
Size: 39-48
Colors: ■

Specific features:
- supplement to PROS waders
- protects against cold
- made from thermally efficient fabric – Termoizol
- premium-quality felt socks for added warmth
- adjustable, comfortable suspenders





**Woman chest waders
SB01D with pocket**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 500 g/m²

Size: 36/37, 37/38, 38/39,
39/40, 40/41

Colour:



Norms:

- EN 343

Specific features:

- model dedicated to women
- lightweight and comfortable
- increased durability of seams
- comfortable braces
- waist adjustment



Junior chest waders SB

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 500 g/m²

Size: 36-42

Colour:



Norms:

- EN ISO 13688

- EN 343

Specific features:

- model dedicated to youth
- lightweight and comfortable
- increased durability of seams
- waist regulation
- comfortable braces

**Children chest
waders SB06**

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 500 g/m²

Size: 22/23, 24/25, 26/27, 28/29,
30/31, 32/33, 34/35

Colour:



Norms:

- EN ISO 13688

- EN 343

Specific features:

- model dedicated for children
- lightweight and comfortable
- attractive appearance
- comfortable suspenders
- increased durability of seams





Woman chest waders SB01/D

Material: PVC/Polyester
Plavitex
heavy duty

Weight: 500 g/m²

Size: 37/38, 38/39, 39/40, 40/41


Colour:
■ ■ ■

Norms:
- EN ISO 13688
- EN 343

Specific features:
- model dedicated for ladies
- lightweight and comfortable
- increased durability of seams
- comfortable suspenders
- waist adjustment



Breathable
waterproof clothing



PROS



**Breathable jacket
model 285**

aQuapros |

Material:

aQuaAir
REGULAR

Size: XS-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- splash-proof zipper closure
- cuffs in the sleeves
- puller of the lower part
- high-waisted hood with face adjustment



**Winter breathable jacket
model 1031 OC**

aQuapros |

Material:

aQuaAir
REGULAR

Size: XS-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zipper closure covered with a pleat with press studs
- ribbed cuffs and back
- numerous pockets
- stand-up collar around the neck finished with fleece
- vapor-permeable upper material
- jacket insulated with polyester material



**Breathable bibpants
model 298**

aQuapros |

Material:

aQuaAir
REGULAR

Size: XS-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- 2 combat pockets on the sides of the legs
- large breast pocket
- bottoms of legs fastened with splash-proof zippers
- adjustable straps



**Breathable trousers
model 288**

aQuapros |

Material:

aQuaAir
REGULAR

Size: XS-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- waist trousers
- vapor-permeable material
- 2 combat pockets on the sides of the legs
- bottoms of legs fastened with splash-proof zippers
- elastic waistband





Softshell jacket
męska – model 729
damska – model 701



Material:
softshell type

Size: XS-4XL, 48-62

Colour:
■ ■ ■ ■ – model 729
■ ■ ■ ■ – model 701

Specific features:

- adjustable hood
- breathability - 5000 g/m²/day
- waterproof - 10000mm H₂O
- sleeve regulation with hook-and-loop
- water resistant zipper
- elements made of reflective tape



Fleece winter hat
model 780



Material:
fleece – polar type

Size: one size

Colour:
■ ■ ■ ■ ■

Specific features:

- complement to sportswear
- soft and touch-friendly fabric
- material 260/gram



Snood
model 720

Material:
fleece – polar type

Rozmiar: one size

Size:
■ ■ ■ ■ ■

Specific features:

- complement to sportswear
- soft and touch-friendly fabric
- full neck protection against the cold
- drawstring for adjustment
- material 260/gram



Pants proshell stretch
model 741

Material:
PROSHELL– softshell type

Size: XS-3XL, 48-60


Colour:
■

Specific features:

- velcro adjustment at the bottom of the legs
- functional material stretched in 4 directions
- additional drawstring at the waist
- waterproof - 10000mm H₂O
- breathability - 10000 g/m²/day
- pre-shaped knees



Waterproof standard
clothing



PROS



**Insulated jacket
model 103 OCS**

Material: PVC/Polyester, Polyester/PU
Plavite^x
TERMOIZOL

Weight: 350 g/m²
Size: 48-62

Colour:
[Yellow] [Orange] [Red] [Dark Blue] [Green] [Light Blue] [White] [Grey] [Black]

Norms:
- EN ISO 13688
- EN 343

Specific features:
- zip fastening with pleat
- hood with insulation
 and the possibility of adjustment
- collar lined with soft fleece
- termoisol insulation on the inside
- two side pockets



**Insulated bibpants
model 001 OCS**

Material: PVC/Polyester, Polyester/PU
Plavite^x
TERMOIZOL

Weight: 350 g/m²
Size: 48-62

Colour:
[Yellow] [Orange] [Red] [Dark Blue] [Green] [Light Blue] [White] [Grey] [Black]

Norms:
- EN ISO 13688
- EN 343

Specific features:
- waterproof and thermal properties
- durable outer material
- termoisol insulation on the inside
- raised front
- comfortable suspenders
 with adjustment



Jacket model 101/S

Material: PVC/Polyester
Plavite^x

Weight: 350 g/m²
Size: 48-62

Colour:
[Yellow] [Orange] [Red] [Dark Blue] [Green] [Light Blue] [White] [Grey] [Black]

Norms:
- EN ISO 13688
- EN 343

Specific features:
- fastening with metal press studs
- increased durability of seams
- hood with drawstrings
- two front pockets covered with
 patches
- cuffs in the sleeves



Bibpants model 001

Material: PVC/Polyester
Plavite^x

Weight: 350 g/m²
Size: 48-62

Colour:
[Yellow] [Orange] [Red] [Dark Blue] [Green] [Light Blue] [White] [Grey] [Black]

Norms:
- EN ISO 13688
- EN 343

Specific features:
- adjustable braces
- wide elastic band on the back
- increased durability of seams
- high front
- comfortable fastening





**Waterproof jacket
model 726**

Material: PU/Polyester



Weight: 160 g/m²

Size: 48 XS, 50 S, 52 M, 54 L
56 XL, 58 2XL, 60 3XL

Colour:



Specific features:

- water resistant zipper
- opening on the back for ventilation
- zipped pockets
- large hood
- water resistance 20,000 mm water column pressure
- Logo made of reflective tape
- Ultra thin material 160/gram



Jacket model 616

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- jacket with a zip and placket
- increased durability of seams
- cuffs on sleeves
- hood with drawstrings
- front pockets with patches



Clothing set model 101/001

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- set of ¾ jacket + bibpants
- adjustable braces
- hood with drawstrings
- wind vest in sleeves
- increased durability of seams



Waist trousers model 112

Material: PVC/Polyester

PlaviteX

Weight: 350 g/m²

Size: 48-62

Colour:



Norms:


- EN ISO 13688
- EN 343

Specific features:

- basic model
- leg girth adjustment
- comfortable press studs
- drawstring waist with elastic
- increased durability of seams



Accessories



PROS

**Waterproof bag,
model 750**

PROS

Material: PVC/Polyester
Plavite^x

Size: one size (10L)

Colour:



Specific features:

- waterproof fabric
- It prevents penetration of smells
- It is made of strong and easy to clean polyurethane
- the cord at the sides allows you to wear it both on your back and in your hands



**Waterproof bag,
model 753**

PROS

Material: PVC/Polyester
Plavite^x

Size: one size (30L)

Colour:



Specific features:

- waterproof fabric
- It prevents penetration of smells
- water resistance 20,000 mm water column pressure
- elements made of reflective tape
- detachable shoulder strap
- watertight roll-top closure
- stiffened bottom

**Carp mat,
model 754**

PROS

Material: nylon, 20 mm thick polyester sponge, synthetic fiber fabric coated on one side with PVC.


Size: one size (82x45 cm)

Colour:




Specific features:

- It prevents penetration of smells
- takes up minimal space
- increased seam strength






Informations
and charts



Clothing size chart

symbol	XS	S	M	L	XL	XXL	XXXL	XXXXL
size	48	50	52	54	56	58	60	62
height [cm]	158	164	170	176	182	188	194	200
chest [cm]	96-100	100-104	104-108	108-112	112-116	116-120	120-124	124-128
waist [cm]	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118



Chest waders size chart

size	39	40	41	42	43	44	45	46	47	48	variation
A [cm]	60	60	60	63	63	66	66	66	66	66	±1 cm
B [cm]	137	137	137	143	143	146	146	146	146	146	±1 cm
C [cm]	92	92	92	96	96	100	100	100	100	100	±1 cm
F [cm]	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	75x2	±1 cm
H [cm]	24,9	25,7	26,7	27,3	28,3	29,1	30,2	30,9	31,6	32,5	±0,5 cm

Thigh waders size chart

size	39	40	41	42	43	44	45	46	47	48	variation
A [cm]	86	86	86	86	88	88	88	90	90	90	±1 cm
B [cm]	90	90	90	90	92	92	92	94	94	94	±1 cm
C [cm]	74	74	74	74	76	76	76	78	78	78	±1 cm

Materials type charts

	Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties that guarantee resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 14605, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with cotton backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating has antistatic and flame-retardant properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), EN 1149-5, EN ISO 20471 and EN ISO 14116, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has antistatic properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 1149-5, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with cotton backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 13034, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with a polyester backing made from recycled yarn, coated on one side with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, maintaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute.
	Material on polyamide backing, coated on one side with polyurethane. It is characterized by resistance to tearing, adverse weather conditions and bending at temperatures down to -50°C.
	A new concept of PVC-coated material. It is characterized by tear resistance and waterproofness. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute. No maintenance is required.
	Polyurethane film is characterized by high resistance to mechanical damage and high and low temperatures. The chemical composition of the material guarantees proper protection against the action of fats, detergents, weak acids, bases and organic liquids.
	Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.

	Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by high resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material on polyamide backing, coated on one side with polyurethane. It is a low-weight, high-strength material to provide proper protection and comfort during heavy work. It is characterized by high elasticity, tear resistance and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.
	Superbly protects not only against water and wind. Thanks to the use of fluorescent pigments, it makes the wearer more visible and safe in conditions of reduced visibility at night. The material meets the requirements of EN ISO 13688, EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by accredited textile testing institutes.
	A material designed for the production of garments for the food industry. A properly selected blend of coating components guarantees resistance to the penetration of fats, enzymes, digestive juices and the action of acid and alkali solutions. The material meets the requirements of EN 1186, which was confirmed in tests conducted by an accredited textile testing institute.
	Waterproof material with a polyamide backing, coated on one side with polyurethane. This is a lightweight material with high strength properties, ensuring proper protection and comfort during demanding work. It is characterized by high flexibility, tear resistance, and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute.
	aQuaAir is a series of modern laminated breathable fabrics with the highest waterproofing and breathability parameters. These materials are used to produce a wide range of protective clothing and outdoor clothing used during work and outdoor activities. They meet the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa and high breathability), which was confirmed in tests conducted by an accredited textile testing institute.
	aQuaAir REGULAR is a 2-layer fabric with lining and a waterproof breathable membrane. It meets the requirements of EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	aQuaAir EASY SEE is a 2-layer fabric with lining, a waterproof breathable membrane, and an outer fabric with fluorescent properties for high-visibility clothing. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	aQuaAir MULTI is a 3-layer fabric with lining, a waterproof breathable membrane, and a multifunctional outer fabric. The fluorescent-colored material is resistant to fire, convective heat, and other hazards encountered during welding, chemical work, and explosive environments. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – good class 3 water vapor resistance 17,35 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.
	XT4L is a modern and technologically advanced material with a high class of waterproofness (30000 mm H2O = class 4 according to the EN 343 standard) and vapor permeability (6500g/m2/24h = class 4 breathability according to EN 343). The material consists of 4 layers (fabric - 100% polyester, hydrophobic microporous coating - 100% polyurethane, non-porous hydrophilic membrane - 100% polyurethane, mesh knit/combined lining - 100% polyamide), which provide excellent protection against water while removing moisture and excess heat.
	termoizol material has a special thermal coating with the ability to reflect and retain heat generated by the body. Thanks to the technology used, thermal insulation has been increased, which affects the comfort of use at low ambient temperatures. The innovative solution is based on a special metalized layer of flexible polyurethane coating with an admixture of silver, combined with a mesh polyester lining. This composition acts as a barrier that effectively reflects the heat energy generated by the body and allows it to be retained inside the clothing.

AJ Group Sp. z o.o.
ul. Bursztynowa 96, Modła Królewska, 62-571 Stare Miasto
tel./fax: +48 63 242-70-84, tel. +48 63 242-71-01
e-mail: el@ajgroup.pl, as@ajgroup.pl, tr@ajgroup.pl, ir@ajgroup.pl
www.**PROS**.pl

www.PROS.pl