





# PROS



**WATERPROOF CLOTHING CATALOG  
FOR FARMERS 2026**

Waterproof  
standard  
clothing





### Jacket model 101/S

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- fastening with metal press studs
- increased durability of seams
- hood with drawstrings
- two front pockets covered with patches
- cuffs in the sleeves



### Insulated jacket model 103 OCS

**Material:** PVC/Polyester, Polyester/PU

**PlaviteX**

**TERMOIZOL**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- zip fastening with pleat
- hood with insulation and the possibility of adjustment
- collar lined with soft fleece
- termoisol insulation on the inside
- two side pockets



### Jacket model 181

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- jacket with press studs
- increased durability of seams
- two-tone design
- hood with drawstrings
- front pockets with patches



### Jacket model 103

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- jacket with a zip and placket
- increased durability of seams
- hood with drawstring
- collar with fleece
- adjustable elasticated cuffs





### Fishing jacket model 1066

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**  
*heavy duty*

**Weight:** 700 g/m<sup>2</sup>

**Size:** 48-62

**Kolory:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- jacket worn over the head
- increased strength of seams
- vestibules in sleeves
- adjustable hood
- neck fastening with press studs



### Jacket model 616

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m<sup>2</sup>

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- jacket with a zip and placket
- increased durability of seams
- cuffs on sleeves
- hood with drawstrings
- front pockets with patches



### Coat model 106

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m<sup>2</sup>

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- coat fastened with press studs
- protects the user's legs from water
- increased durability of seams
- hood with drawstrings
- front pockets with patches





**Bibpants model 001**

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- adjustable braces
- wide elastic band on the back
- increased durability of seams
- high front
- comfortable fastening



**Insulated bibpants model 001 OCS**

**Material:** PVC/Polyester, Polyester/PU

**PlaviteX**

**TERMOIZOL**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- waterproof and thermal properties
- durable outer material
- termoizol insulation on the inside
- raised front
- comfortable suspenders with adjustment



**Bibpants model 001 MAX**

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- adjustable braces
- additional reinforcement on the knees
- wide elastic band on back
- increased durability of seams
- high front



**Fishing bibpants model 1066**

**Material:** PVC/Polyester

**PlaviteX**

**heavy duty**

**Weight:** 700 g/m²

**Size:** 48-62

**Kolory:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- increased durability
- adjustable braces made of rubber
- internal, lockable pocket
- practical fastening
- resistance to sea water





**Clothing set model 101/001**

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- set of ¾ jacket + bibpants
- adjustable braces
- hood with drawstrings
- wind vest in sleeves
- increased durability of seams



**Clothing set model 101/112**

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- set of ¾ jacket + waist trousers
- hood with drawstrings
- wind vest in sleeves
- increased stitching strength



**Clothing set model 102/013**

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- the pull-on jacket + bibpants
- adjustable braces
- hood with press studs
- windbreakers in the sleeves and legs
- increased durability of seams



**Waist trousers model 112**

**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**

**Weight:** 350 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- basic model
- leg girth adjustment
- comfortable press studs
- drawstring waist with elastic
- increased durability of seams





**Hat model 045**

**Material:** PVC/Polyester  
**PlaviteX**  
**Weight:** 350 g/m²  
**Size:** XS – 4XL  
**Colour:**  
■ ■ ■ ■ ■  
■ ■ ■ ■ ■

**Norms:**  
- EN ISO 13688  
- EN 343

**Specific features:**  
- effective head protection  
  against wind and rain  
- fleece lined on the inside  
- adjustable head harness  
- comfortable roundabout  
- large range of sizes



**Overall mtdel 303**

**Material:** PVC/Polyester  
**PlaviteX**  
  *heavy duty*  
**Weight:** 700 g/m²  
**Size:** 48-62  
**Colour:**  
■ ■  
**Norms:**  
- EN ISO 13688  
- EN 343  
**Specific features:**  
- protection against stings  
- zip fastening  
- windflaps on sleeves and legs  
- increased durability of seams  
- visor with protective mesh





**Men's jacket  
BEMOREGREEN  
model 901**

**BEMOREGREEN**

**Material:** PVC/Polyester

**Plavite<sub>eco</sub>x**

**Weight:** 280 g/m²

**Size:** XS-4XL, 48-62

**Colour:**



**Specific features:**

- ¾-length jacket
- made from Plavite<sub>eco</sub> recycled material
- adjustable hood
- two external pockets with flaps
- high-frequency welded using Solar Welding Technology



**Men's coat  
BEMOREGREEN  
model 906**

**BEMOREGREEN**

**Material:** PVC/Polyester

**Plavite<sub>eco</sub>x**

**Weight:** 280 g/m²

**Size:** XS-4XL, 48-62

**Colour:**



**Specific features:**

- knee-length
- made from Plavite<sub>eco</sub> recycled material
- adjustable hood
- two external pockets with flaps
- high-frequency welded using Solar Welding Technology



**Women's jacket  
BEMOREGREEN  
model 903**

**BEMOREGREEN**

**Material:** PVC/Polyester

**Plavite<sub>eco</sub>x**

**Weight:** 280 g/m²

**Size:** XS-4XL, 48-62

**Colour:**



**Specific features:**

- ¾-length jacket
- made from Plavite<sub>eco</sub> recycled material
- adjustable hood
- two external pockets with flaps
- high-frequency welded using Solar Welding Technology



**Women's coat  
BEMOREGREEN  
model 907**

**BEMOREGREEN**

**Material:** PVC/Polyester

**Plavite<sub>eco</sub>x**

**Weight:** 280 g/m²

**Size:** XS-4XL, 48-62

**Colour:**



**Specific features:**

- knee-length
- made from Plavite<sub>eco</sub> recycled material
- adjustable hood
- two external pockets with flaps
- high-frequency welded using Solar Welding Technology





**Cape**  
**BEMOREGREEN**  
**model 905**

**BEMOREGREEN**

**Material:** PVC/Polyester  
**Plavite<sub>eco</sub>x**  
**Weight:** 280 g/m²  
**Size:** XS-4XL, 48-62  
**Colour:** ■

**Specific features:**

- side adjustment with snaps
- made from Plavitex Eco recycled material
- adjustable hood
- two external pockets
- high-frequency welded using Solar Welding Technology



**Dungarees trousers**  
**BEMOREGREEN**  
**model 904**

**BEMOREGREEN**

**Material:** PVC/Polyester  
**Plavite<sub>eco</sub>x**  
**Weight:** 280 g/m²  
**Size:** XS-4XL, 48-62  
**Colour:** ■

**Specific features:**

- adjustable wide straps
- detachable strap buckles
- higher front of the trousers, protecting against moisture
- made from Plavitex Eco recycled material
- high-frequency welded using Solar Welding Technology



**BOOTS**  
**BEMOREGREEN**  
**model 908**

**BEMOREGREEN**

**Material:** PVC  
**Size:** 35-49  
**Colour:** ■

**Specific features:**

- sole with tread providing grip
- made from recycled PVC
- SCS (Scientific Certification Systems) standard certification



**Waist trousers**  
**BEMOREGREEN**  
**model 902**

**BEMOREGREEN**

**Material:** PVC/Polyester  
**Plavite<sub>eco</sub>x**  
**Weight:** 280 g/m²  
**Size:** XS-4XL, 48-62  
**Colour:** ■

**Specific features:**

- elastic waistband for easier fitting to the body shape
- made from Plavitex Eco recycled material
- high-frequency welded using Solar Welding Technology



Thigh waders  
and chest waders





**Chest waders  
STANDARD SB01**

**Material:** PVC/Polyester  
**Plavitex**  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

**Specific features:**

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces made of rubber
- basic model



**Fishing trousers STANDARD  
model SP03**

**Material:** PVC/Polyester  
**Plavitex**  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

**Specific features:**

- increased durability of seams
- elastic waistband for a better fit
- belt loops
- regulation of circumference with press studs
- can be used with leg warmers



**Chest waders PREMIUM with  
reinforcements SBP01**

**Material:** PVC/Polyester  
**Plavitex**  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

**Specific features:**

- permanently welded boots
- increased durability of seams
- comfortable inner pocket
- adjustable braces
- elastic band for easier fitting

**Chest waders STRONG  
BLACK SB01**

**[STRONG]**

**Material:** PVC/PU/Polyester –  
Rubber New Generation



**Weight:** 1000 g/m²

**Size:** 39-47

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

**Specific features:**

- salt water resistance
- increased durability of seams
- inner pocket
- circumference can be adjusted
- comfortable braces





**Thigh waders  
STANDARD WR02**

**Material:** PVC/Polyester  
**Plavitex**  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB SRC

**Specific features:**

- basic model
- effective protection of legs against water
- increased durability of seams
- rubber supports
- can be used with leg warmers



**Thigh waders PREMIUM with  
reinforcements WRP02**

**Material:** PVC/Polyester  
**Plavitex**  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

**Specific features:**

- permanently welded boots
- increased durability of seams
- reinforcements on knees
- fixing tapes
- resistance to bending in low temperatures

**Thigh waders STRONG  
BLACK WR02**

**[STRONG]**

**Material:** PVC/PU/Polyester –  
Rubber New Generation



**Weight:** 1000 g/m²

**Size:** 39-48

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343
- EN ISO 20347 - OB E SRA

**Specific features:**

- anti-slip boots
- high quality material
- effective protection of legs against water
- increased durability of seams
- rubber support fastenings





**Waterproof protective legs  
model 507**

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 350 g/m²

**Size:** universal

**Colour:**



**Norms:**

- EN ISO 13688

**Specific features:**

- protects against moisture and dirt
- increased durability of seams
- resistance to bending in low temperatures
- fixing to belt



**Waterproof protective legs  
model 508**

**Material:** PVC/Polyester

**PlaviteX**

**Weight:** 700 g/m²

**Size:** universal

**Colour:**



**Norms:**

- EN ISO 13688

**Specific features:**

- increased durability of seams
- reinforced knees
- protects against moisture and dirt
- elastic fixing to belt
- resistance to bending in low temperatures





**Leg warmers**  
**Various Length Models:**  
**KL09/S FILC**  
**KL09/L FILC**  
**KL09/WR**

**Material:** Felt  
**Weight:** 300 g/m²  
**Size:** 36-50  
**Colors:** ■

**Specific features:**  
- premium-quality felt for durability and comfort  
- protection against moisture and cold  
- washable and easy to clean  
- height:  
  model KL09/S – 28 cm  
  model KL09/L – 40 cm  
  model KL09/WR – designed for PROS waders



**Warm trousers**  
**model KL09/SB**

**Material:** Quilted insulation, double-sided  
**Weight:** 120 g/m²  
**Size:** 39-48  
**Colors:** ■

**Specific features:**  
- supplement to PROS waders  
- protects against cold  
- made of two types of materials  
- premium-quality felt socks for added warmth  
- adjustable, comfortable suspenders



**Thermal warm trousers**  
**KL09/TI**

**Material:** Quilted insulation double-sided with thermal membrane  
**TERMOIZOL**  
**Weight:** 120 g/m²  
**Size:** 39-48  
**Colors:** ■

**Specific features:**  
- supplement to PROS waders  
- protects against cold  
- made from thermally efficient fabric - Termoisol  
- premium-quality felt socks for added warmth  
- adjustable, comfortable suspenders





**Woman chest waders  
SB01D with pocket**

**Material:** PVC/Polyester  
**PlaviteX**  
heavy duty

**Weight:** 500 g/m²

**Size:** 36/37, 37/38, 38/39,  
39/40, 40/41

**Colour:**



**Norms:**

- EN 343

**Specific features:**

- model dedicated to women
- lightweight and comfortable
- increased durability of seams
- comfortable braces
- waist adjustment



**Junior chest waders SB**

**Material:** PVC/Polyester  
**PlaviteX**  
heavy duty

**Weight:** 500 g/m²

**Size:** 36-42

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- model dedicated to youth
- lightweight and comfortable
- increased durability of seams
- waist regulation
- comfortable braces

**Woman chest  
waders SB01/D**

**Material:** PVC/Polyester  
**PlaviteX**  
heavy duty

**Weight:** 500 g/m²

**Size:** 37/38, 38/39, 39/40, 40/41

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- model dedicated for ladies
- lightweight and comfortable
- increased durability of seams
- comfortable suspenders
- waist adjustment



Breathable  
clothing





**Breathable jacket  
model 285**

aQuapros | 

Material:

aQuaAir  
REGULAR

Size: S-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- splash-proof zipper closure
- cuffs in the sleeves
- puller of the lower part
- high-waisted hood with face adjustment



**Winter breathable jacket  
model 1031 OC**

aQuapros | 

Material:

aQuaAir  
REGULAR

Size: S-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zipper closure covered with a pleat with press studs
- ribbed cuffs and back
- numerous pockets
- stand-up collar around the neck finished with fleece
- vapor-permeable upper material
- jacket insulated with polyester material



**Breathable bibpants  
model 298**

aQuapros | 

Material:

aQuaAir  
REGULAR

Size: S-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- vapor-permeable material
- 2 combat pockets on the sides of the legs
- large breast pocket
- bottoms of legs fastened with splash-proof zippers
- adjustable straps



**Breathable trousers  
model 288**

aQuapros | 

Material:

aQuaAir  
REGULAR

Size: S-4XL, 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- waist trousers
- vapor-permeable material
- 2 combat pockets on the sides of the legs
- bottoms of legs fastened with splash-proof zippers
- elastic waistband



**Insulated overalls  
model 104/1 OC**

**aQuapros** | 

**Material:**

**aQuaAir**  
REGULAR

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- made of breathable material
- special polyester insulation
- zipper closure covered with a double pleat
- windbreaks in sleeves
- adjustable hood



**Overalls model 104/1**

**aQuapros** | 

**Material:**

**aQuaAir**  
REGULAR

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- made of breathable material
- zipper closure covered with a double pleat
- drawstring at the back
- windbreaks in sleeves
- adjustable hood





**Softshell jacket**  
**man – model 729**  
**woman – model 701**

**PROS**

**Material:**  
softshell type  
**Size:** XS-4XL, 48-62  
**Colour:**  
■ ■ ■ ■ – model 729  
■ ■ ■ – model 701

**Specific features:**  
- adjustable hood  
- breathability - 5000 g/m<sup>2</sup>/day  
- waterproof - 10000 mm H<sub>2</sub>O  
- sleeve regulation with hook-and-loop  
- water resistant zipper  
- elements made of reflective tape



**Fleece winter hat,**  
**model 780**

**PROS**

**Material:**  
Fleece type  
**Size:** one size  
**Colour:**  
■ ■ ■ ■ ■  
**Specific features:**  
- complement for sportswear  
- soft material, pleasant to the touch  
- material 260 g/m<sup>2</sup>



**Snood navy**  
**model 720**

**PROS**

**Material:**  
Fleece type  
**Size:** one size  
**Colour:**  
■ ■ ■ ■ ■  
**Specific features:**  
- supplement for sportswear  
- soft material, pleasant to the touch  
- full neck protection against the cold  
- adjustable drawstring  
- material 260 g/m<sup>2</sup>



**Pants proshell stretch**  
**model 741**

**PROS**

**Material:**  
PROSHELL– softshell type  
**Size:** XS-3XL, 48-60  
**Colour:**  
■  
**Specific features:**  
- velcro adjustment at the bottom of the legs  
- functional material stretched in 4 directions  
- additional drawstring at the waist  
- waterproof - 10000mm H<sub>2</sub>O  
- breathability - 10000 g/m<sup>2</sup>/day  
- pre-shaped knees



Chemical  
proof clothing





**Chemical jacket  
model 420**

**Material:** PVC/Polyester  
**Plavite<sub>x</sub>**  
*chemo*

**Weight:** 340 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 13034
- EN 343

**Specific features:**

- zip fastening with a placket
- increased durability of seams
- special cut that does not restrict movement
- sleeves finished with rubber band
- two front pockets with patches



**Chemical bibpants  
model 421**

**Material:** PVC/Polyester  
**Plavite<sub>x</sub>**  
*chemo*

**Weight:** 340 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 13034
- EN 343

**Specific features:**

- increased durability of seams
- special cut that does not restrict movement
- wide braces with comfortable fastening
- wind vents in leg openings
- increased resistance to chemicals



**Chemical overall  
model 424**

**Material:** PVC/Polyester  
**Plavite<sub>x</sub>**  
*chemo*

**Weight:** 340 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 13034
- EN 343

**Specific features:**

- increased resistance to chemicals
- zip with placket
- increased durability of seams
- cuffs in the sleeves
- tunnel with rubber in the back for regulation

**Chemical waist trousers  
model 422**

**Material:** PVC/Polyester  
**Plavite<sub>x</sub>**  
*chemo*

**Weight:** 340 g/m²

**Size:** 48-62

**Colour:**



**Norms:**

- EN ISO 13688
- EN 13034
- EN 343

**Specific features:**

- increased resistance to chemicals
- increased durability of seams
- special cut that does not restrict movement
- comfortable elastic waistband
- leg circumference adjustment



aQuapros



PROS



Jacket model 4083

aQuapros

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- zip fastening with a placket
- increased durability of seams
- underarm ventilation
- sleeve regulation
- two front pockets with patches



Jacket model 4085

aQuapros

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- fastening with metal press studs
- increased durability of seams
- adjustable hood
- underarm ventilation
- two front pockets with patches



Bibpants model 4087

aQuapros

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- adjustable braces
- wide elastic band on the back
- increased durability of seams
- leg adjustment
- pocket openings concealed by a flap



Waist trousers model 4086

aQuapros

Material: Polyurethane/Polyamide



Weight: 180 g/m²

Size: 48-62

Colour:



Norms:

- EN ISO 13688
- EN 343

Specific features:

- rubber in the waist for regulation
- increased durability of seams
- leg adjustment
- pocket openings concealed by a flap



Waterproof  
aprons






**Apron model 108**  
**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**  
**Weight:** 350 g/m<sup>2</sup>  
**Size:** 120/120  
**Colour:**  
□ ■ ■ ■ ■  
**Norms:**  
- EN ISO 13688  
- EN 343  
**Specific features:**  
- resistance to bending in low temperatures  
- adjustable neck strap  
- wide range of colours



**Apron model 108/WZ**  
**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**  
**Weight:** 350 g/m<sup>2</sup>  
**Size:** 120/120  
**Colour:**  
□ ■ ■ ■ ■  
**Norms:**  
- EN ISO 13688  
- EN 343  
**Specific features:**  
- additional reinforcement  
- resistance to bending in low temperatures  
- adjustable neck strap  
- wide range of colours



**Apron model 109**  
**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**  
**Weight:** 350 g/m<sup>2</sup>  
**Size:** 90/120, 120/90  
**Colour:**  
□ ■ ■ ■ ■  
**Norms:**  
- EN ISO 13688  
- EN 343  
**Specific features:**  
- lightweight and flexible  
- resistant to low temperatures  
- for work in hygienically rigorous conditions  
- adjustable neck strap



**Apron model CP**  
**Material:** PVC/Polyester  
**Plavite<sup>x</sup>**  
**Weight:** 350 g/m<sup>2</sup>  
**Size:** 110/75  
**Colour:**  
□ ■ ■ ■ ■  
**Norms:**  
- EN ISO 13688  
- EN 343  
**Specific features:**  
- lightweight and elastic  
- resistant to low temperatures  
- adjustable neckstrap  
- for work in hygienically rigorous conditions





**Specialist apron model 111**

**Material:** PVC/Polyester  
**Plavite*x***  
*heavy duty*

**Weight:** 700 g/m²

**Size:** 105/90

**Colour:**  
■

**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- thicker material
- reinforcement on the front
- resistance to low temperatures
- adjustable neck strap



**Sleeves model 002**

**Material:** PVC/Polyester  
**Plavite*x***

**Weight:** 350 g/m²

**Length:** 55cm

**Colour:**  
□ ■ ■ ■ ■

**Norms:**

- EN ISO 13688
- EN 343

**Specific features:**

- used as a complement to the apron
- drawstring elastics on wrists and forearms
- resistant to low temperatures



**Gloves with armlets  
model 043**

**Material:** PVC/Polyester  
**Plavite*x***

**Weight:** 350 g/m²

**Size:** 8, 9, 10, 11

**Colour:**  
■

**Norms:**


- EN ISO 13688
- EN 343

**Specific features:**

- resistant material
- welded gloves
- protection of hands and forearms
- resistance to damage
- resistance to bending in low temperatures



Accessories



**Disinfection mat****PROS****Material:** Polyurethane/PVC/Polyester**Plavite<sup>x</sup>****Weight:** PVC – 650 g/m<sup>2</sup>**Size:**

45x45 cm

85x60 cm

120x100 cm

180x90 cm

380x110 cm

or in the dimensions provided  
by the customer"**Colour:** ■**Specific features:**

- for use before entering rooms
- should be used with the appropriate disinfectant
- proper use prevents the spread of bacteria, viruses, and fungi

**Applications of disinfectant mats:**

- food processing
- animal quarantine stations
- Mushroom farms
- greenhouses
- chicken coops
- pigsties
- cattle barns
- livestock markets and collection points
- agricultural fairs and exhibitions






Informations  
and charts



Clothing size chart

|             |        |         |         |         |         |         |         |         |
|-------------|--------|---------|---------|---------|---------|---------|---------|---------|
| symbol      | XS     | S       | M       | L       | XL      | XXL     | XXXL    | XXXXL   |
| size        | 48     | 50      | 52      | 54      | 56      | 58      | 60      | 62      |
| height [cm] | 158    | 164     | 170     | 176     | 182     | 188     | 194     | 200     |
| chest [cm]  | 96-100 | 100-104 | 104-108 | 108-112 | 112-116 | 116-120 | 120-124 | 124-128 |
| waist [cm]  | 86-90  | 90-94   | 94-98   | 98-102  | 102-106 | 106-110 | 110-114 | 114-118 |



Chest waders size chart

|        |      |      |      |      |      |      |      |      |      |      |           |
|--------|------|------|------|------|------|------|------|------|------|------|-----------|
| size   | 39   | 40   | 41   | 42   | 43   | 44   | 45   | 46   | 47   | 48   | variation |
| A [cm] | 60   | 60   | 60   | 63   | 63   | 66   | 66   | 66   | 66   | 66   | ±1 cm     |
| B [cm] | 137  | 137  | 137  | 143  | 143  | 146  | 146  | 146  | 146  | 146  | ±1 cm     |
| C [cm] | 92   | 92   | 92   | 96   | 96   | 100  | 100  | 100  | 100  | 100  | ±1 cm     |
| F [cm] | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | 75x2 | ±1 cm     |
| H [cm] | 24,9 | 25,7 | 26,7 | 27,3 | 28,3 | 29,1 | 30,2 | 30,9 | 31,6 | 32,5 | ±0,5 cm   |

Thigh waders size chart

|        |    |    |    |    |    |    |    |    |    |    |           |
|--------|----|----|----|----|----|----|----|----|----|----|-----------|
| size   | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | variation |
| A [cm] | 86 | 86 | 86 | 86 | 88 | 88 | 88 | 90 | 90 | 90 | ±1 cm     |
| B [cm] | 90 | 90 | 90 | 90 | 92 | 92 | 92 | 94 | 94 | 94 | ±1 cm     |
| C [cm] | 74 | 74 | 74 | 74 | 76 | 76 | 76 | 78 | 78 | 78 | ±1 cm     |

Materials type charts

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                                          |
|  | Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties that guarantee resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 14605, which was confirmed in tests conducted by an accredited textile testing institute.                                                                                 |
|  | Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by an accredited textile testing institute.                                                                         |
|  | Waterproof material with cotton backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating has antistatic and flame-retardant properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), EN 1149-5, EN ISO 20471 and EN ISO 14116, which was confirmed in tests conducted by an accredited textile testing institute. |
|  | Waterproof material with polyester backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has antistatic properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 1149-5, which was confirmed in tests conducted by an accredited textile testing institute.                                                                              |
|  | Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                    |
|  | Waterproof material with cotton backing, PVC coated on one side. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                                             |
|  | Waterproof material with polyester backing, PVC coated on one side. It is characterized by increased visibility as well as tear resistance and waterproofness. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                              |
|  | Waterproof material with polyester backing, coated with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating has acid-protective properties and guarantees resistance to adverse weather conditions, retaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN 13034, which was confirmed in tests conducted by an accredited textile testing institute.                                                                                 |
|  | Waterproof material with a polyester backing made from recycled yarn, coated on one side with PVC. It is characterized by tear resistance and waterproofness. The chemical composition of the coating guarantees resistance to adverse weather conditions, maintaining its properties at temperatures down to -50°C. The material meets the requirements of EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute.                                                                                                                  |
|  | Material on polyamide backing, coated on one side with polyurethane. It is characterized by resistance to tearing, adverse weather conditions and bending at temperatures down to -50°C.                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | A new concept of PVC-coated material. It is characterized by tear resistance and waterproofness. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute. No maintenance is required.                                                                                                                                                                                                                                                                                              |
|  | Polyurethane film is characterized by high resistance to mechanical damage and high and low temperatures. The chemical composition of the material guarantees proper protection against the action of fats, detergents, weak acids, bases and organic liquids.                                                                                                                                                                                                                                                                                                                                                                                |
|  | Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                 |

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Material coated on one side with polyvinyl chloride. It is characterized by high tear and tensile resistance and waterproofness. The chemical composition of the coating is characterized by high resistance to salt water and extreme weather conditions. The material retains its properties during use at low temperatures. Meets the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                                          |
|    | Waterproof material on polyamide backing, coated on one side with polyurethane. It is a low-weight, high-strength material to provide proper protection and comfort during heavy work. It is characterized by high elasticity, tear resistance and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa), which was confirmed in tests conducted by an accredited textile testing institute.   |
|    | Superbly protects not only against water and wind. Thanks to the use of fluorescent pigments, it makes the wearer more visible and safe in conditions of reduced visibility at night. The material meets the requirements of EN ISO 13688, EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa) and EN ISO 20471, which was confirmed in tests conducted by accredited textile testing institutes.                                                                                                                                                                                                                         |
|    | A material designed for the production of garments for the food industry. A properly selected blend of coating components guarantees resistance to the penetration of fats, enzymes, digestive juices and the action of acid and alkali solutions. The material meets the requirements of EN 1186, which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                                                                                                                                                                                                       |
|    | Waterproof material with a polyamide backing, coated on one side with polyurethane. This is a lightweight material with high strength properties, ensuring proper protection and comfort during demanding work. It is characterized by high flexibility, tear resistance, and waterproof seams. The chemical composition of the coating guarantees exceptional resistance to adverse weather conditions and bending at temperatures down to -50°C. The material meets the requirements of EN ISO 13688 and EN 343 (resistance to water penetration in the highest class 4 – at least 20000 Pa), as confirmed by tests conducted by an accredited textile testing institute. |
|    | aQuaAir is a series of modern laminated breathable fabrics with the highest waterproofing and breathability parameters. These materials are used to produce a wide range of protective clothing and outdoor clothing used during work and outdoor activities. They meet the requirements of EN 343 (resistance to water penetration in the highest class 4 - water column pressure over 20000 Pa and high breathability), which was confirmed in tests conducted by an accredited textile testing institute.                                                                                                                                                                |
|    | aQuaAir REGULAR is a 2-layer fabric with lining and a waterproof breathable membrane. It meets the requirements of EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.                                                                                                                                                                                                                                                 |
|  | aQuaAir EASY SEE is a 2-layer fabric with lining, a waterproof breathable membrane, and an outer fabric with fluorescent properties for high-visibility clothing. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – highest class 4 water vapor resistance up to 15 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.                                                                                                                                                                 |
|  | aQuaAir MULTI is a 3-layer fabric with lining, a waterproof breathable membrane, and a multifunctional outer fabric. The fluorescent-colored material is resistant to fire, convective heat, and other hazards encountered during welding, chemical work, and explosive environments. It meets the requirements of the EN 343 standard (highest class 4 water penetration resistance – water column pressure exceeding 20000 Pa, and high breathability – good class 3 water vapor resistance 17,35 Ret [M² Pa/W]), as confirmed in tests conducted by an accredited institute specializing in textile material research.                                                   |
|  | XT4L is a modern and technologically advanced material with a high class of waterproofness (30000 mm H2O = class 4 according to the EN 343 standard) and vapor permeability (6500g/m2/24h = class 4 breathability according to EN 343). The material consists of 4 layers (fabric - 100% polyester, hydrophobic microporous coating - 100% polyurethane, non-porous hydrophilic membrane - 100% polyurethane, mesh knit/combined lining - 100% polyamide), which provide excellent protection against water while removing moisture and excess heat.                                                                                                                        |
|  | termoizol material has a special thermal coating with the ability to reflect and retain heat generated by the body. Thanks to the technology used, thermal insulation has been increased, which affects the comfort of use at low ambient temperatures. The innovative solution is based on a special metalized layer of flexible polyurethane coating with an admixture of silver, combined with a mesh polyester lining. This composition acts as a barrier that effectively reflects the heat energy generated by the body and allows it to be retained inside the clothing.                                                                                             |

AJ Group Sp. z o.o.  
ul. Bursztynowa 96, Modła Królewska, 62-571 Stare Miasto  
tel./fax: +48 63 242-70-84, tel. +48 63 242-71-01  
e-mail: as@ajgroup.pl, el@ajgroup.pl, tr@ajgroup.pl, ir@ajgroup.pl  
www.**PROS**.pl

[www.PROS.pl](http://www.PROS.pl)